

[2017 New Easily Pass 70-740 Exam With Lead2pass Updated Microsoft 70-740 Dumps (61-80)]

2017 May Microsoft Official New Released 70-740 Q&As in Lead2pass.com!] 100% Free Download! 100% Pass Guaranteed!
Lead2pass 70-740 braindumps including the exam questions and the answer, completed by our senior IT lecturers and the Microsoft product experts, include the current newest 70-740 exam questions. Following questions and answers are all new published by Microsoft Official Exam Center: <http://www.lead2pass.com/70-740.html>

QUESTION 61Note: This question is part of a series of questions that use the same similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question. You have three servers named Server1, Server2, Server3 that run Windows Server 2016. Server1 and Server2 have the Hyper-V server role installed. Server3 has the iSCSI Target Server role service installed.You need to create a Hyper-V cluster. Which tool should you use first? A. the clussvc.exe commandB. the cluster.exe commandC. the Computer Management consoleD. the configurehyperv.exe commandE. the Disk Management consoleF. the Failover Cluster Manager consoleG. the Hyper-V Manager consoleH. the Server Manager Desktop app Answer: H

QUESTION 62You have a server named Server1 that runs Windows Server 2016. Server1 is a Hyper-V host that hosts a virtual machine named VM1. Server1 has three network adapter cards. That connect to a virtual switch named vSwitch1.You configure NIC Teaming on VM1 as shown in the exhibit. You need to ensure that VM1 will retain access to the network if a physical adapter card fails on Server1. What should you do? A. From Hyper-V Manager on Server1, modify the settings of VM1.B. From Windows PowerShell on Server1, run theSet-VmSwitchcmdlet.C. From the properties of the NIC team on VM1, add the adapter named Ethernet to the NIC team.D. From the properties of the NIC team on VM1. change the load balancing of the NIC team. Answer: A

QUESTION 63Note: This question is part of a series of questions that use the same similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question. You have an Active Directory domain that contains two Hyper-V servers named Server1 and Server2. Server1 has Windows Server 2016 installed. Server2 has Windows Server 2012 R2 installed.Each Hyper-V server has three network cards. Each network card is connected to a different subnet. Server1 contains a dedicated migration network.Server2 contains a virtual machine named VM5.You plan to perform a live migration of VM5 to Server1.You need to ensure that Server1 uses all available networks to perform the live migration of VM5.What should you run1? A. the Mount-VHD cmdletB. the Diskpart commandC. the Set-VHD cmdletD. the Set-VM cmdletE. the Set-VMHost cmdletF. the Set-VMProcessor cmdletG. the Install-WindowsFeature cmdletH. the Optimize-VHD cmdlet Answer: E

QUESTION 64Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series. Start of Repeated Scenario:A company named Contoso, ltd. has several servers that run Windows Server 2016. Contoso has a Hyper V environment that uses failover clustering and Windows Server Update Services (WSUS). The environment contains several Windows containers and several virtual machines.The WSUS deployment contains one upstream server that is located on the company's perimeter network and several downstream servers located on the internal network. A firewall separates the upstream server from the downstream servers. You plan to deploy a human resources application to a new server named HRServer5. HRServer5 contains a FAT32-formatted data volume.The CIO of Contoso identifies the following requirements for the company's IT department: - Deploy failover cluster to two new virtual machines.- Store all application databases by using Encrypted File System (EFS).- Ensure that each Windows container has a dedicated IP address assigned by a DHCP server.- Produce a report that lists the processor time used by all of the processes on a server named Server 1 for five hour.- Encrypt all communication between the internal network and the perimeter network, including all WSUS communications.- Automatically load balance the virtual machines hosted in the Hyper-V cluster when processor utilization exceeds 70 percent. End of Repeated Scenario. What should you do to prepare the data volume on HRServer5 to store the databases required for the human resources application? A. Format the data volume by using ReFS.B. Enable Trusted Platform Module (TPM) on HRServer5.C. Format the data volume by using NTFS.D. Enable BitLocker Drive Encryption (BitLocker) on the data volume. Answer: C

Explanation:You must format the volume using NTFS, because the example requires encrypting the volumes using Encrypted File System. EFS is only compatible with the NTFS file system.

QUESTION 65Drag and Drop Question You have a physical server named Server1 that runs Windows Server 2016 Server1 is a Hyper-V hostOn Server1, you create a virtual machine named VM1 that runs Windows Server 2016.You plan to install the Hyper-V server role on VM1.You need to ensure that you can configure VM1 to host virtual machines. How should you complete the Windows PowerShell script? To answer, drag the appropriate values to the correct targets. Each value may

be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. Answer: QUESTION 66 Drag and Drop Question You are planning the configuration of a virtual network switch for a Hyper V environment. The environment will contain the following Hyper V hosts. - A server named Server1 will have 10 virtual machines that must be able to communicate with each other. The virtual machines must be prevented from communicating with Server1 and all other servers on the corporate network. - A two-node failover cluster named Cluser1 will have 20 virtual machines. The virtual machines will run on both nodes. Hyper V hosts on the corporate network must be able to connect to the virtual machines. Which type of virtual switch should you select for each Hyper V host? To answer, drag the appropriate virtual switch types to the correct hosts. Each virtual switch type may be used once, more than once, or not at all. Answer: QUESTION 67 Hotspot Question Your network contains an Active Directory forest. The forest contains one domain named contoso.com. The domain contains two domain controllers named DC1 and DC2. DC1 holds all of the operations master roles. During normal network operations, you run the following commands on DC2: `Move-ADDirectoryServerOperationMasterRole -Identity "DC2" -OperationMasterRole PDCEmulator` `Move-ADDirectoryServerOperationMasterRole -Identity "DC2" -OperationMasterRole RIDMaster` DC1 fails. You remove DC1 from the network, and then you run the following command: `Move-ADDirectoryServerOperationMasterRole -Identity "DC2" -OperationMasterRole SchemaMaster` For each of the following statements, select Yes if the statement is true. Otherwise, select No. Answer: QUESTION 68 Drag and Drop Question You have a network that contains several servers that run Windows Server 2016. You need to use Desired State Configuration (DSC) to configure the servers to meet the following requirements: - Install the Web Server server role. - Start the World Wide Web Publishing service. How should you configure the DSC resources? To answer, drag the appropriate values to the correct locations. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. Answer: Explanation: When configuring a DSC script, use "WindowsFeature" to specify a role like WebServerRole. Set Ensure = "Present" to make sure the role is installed. Use "Service" for a windows service like WorldWideWebPublishing, and set State = "Running" to make sure the service is running. QUESTION 69 Hotspot Question Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series. Start of Repeated Scenario: A company named Contoso, Ltd. has several servers that run Windows Server 2016. Contoso has a Hyper V environment that uses failover clustering and Windows Server Update Services (WSUS). The environment contains several Windows containers and several virtual machines. The WSUS deployment contains one upstream server that is located on the company's perimeter network and several downstream servers located on the internal network. A firewall separates the upstream server from the downstream servers. You plan to deploy a human resources application to a new server named HRServer5. HRServer5 contains a FAT32-formatted data volume. The CIO of Contoso identifies the following requirements for the company's IT department: - Deploy failover cluster to two new virtual machines. - Store all application databases by using Encrypted File System (EFS). - Ensure that each Windows container has a dedicated IP address assigned by a DHCP server. - Produce a report that lists the processor time used by all of the processes on a server named Server 1 for five hours. - Encrypt all communication between the internal network and the perimeter network, including all WSUS communications. - Automatically load balance the virtual machines hosted in the Hyper-V cluster when processor utilization exceeds 70 percent. End of Repeated Scenario. You need to create a Data Collector Set to meet the requirement for the processor time report. What command should you run to create the Data Collector Set? To answer, select the appropriate options in the answer area. Answer: Explanation: Use LogMan program to create a data set, choose type "counter" to collect performance statistics like processor usage. QUESTION 70 Hotspot Question Your network contains an Active Directory domain named contoso.com. The domain contains a domain controller named Server1 and a member server named Server2. Server1 has the DNS Server role installed. Server2 has IP Address Management IPAM installed. The IPAM server retrieves zones from Server1 as shown in the following table: Answer: QUESTION 71 Drag and Drop Question You have a server that runs Windows Server 2016. You install three additional physical disks named Disk1, Disk2, and Disk3. You plan to use these physical disks to store data. You need to create a volume to store data. The solution must prevent data loss in the event of a single disk failure. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. Answer: QUESTION 72 Hotspot Question Your network contains an Active Directory domain named contoso.com. The domain contains a DNS server named Server1. You enable Response Rate Limiting on Server1. You need to prevent Response Rate Limiting from applying to hosts that reside on the network of 10.0.0.0/24. Which cmdlets should you run? To answer, select the appropriate options in the answer area. Answer: QUESTION 73 Drag and Drop Question You install a new Nano Server named Nano1. Nano1 is a member of a workgroup and has an IP address of 192.169.1.10. You have a server named Server1 that runs Windows Server 2016. From Server1, you need to establish a Windows PowerShell session to Nano1. How should you complete the PowerShell script? To

answer, drag the appropriate cmdlets to the correct targets Each cmdlet may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. Answer: QUESTION 74Hotspot QuestionYou have a machine named VM1 that runs Windows Server 2016 VM1 is a Remote Desktop Services (RDS) server. You need to ensure that only TCP port 3389 can be used to connect to VM1 over the network. Which command should you run on the Hyper-V host? To answer, select the appropriate options in the answer area. Answer: QUESTION 75Hotspot QuestionYou implement a windows server 2016 failover cluster named cluster1 as a high available file server. You run the Get-Cluster cmdlet and receive the following output. Use the drop down menus to select the answer choice that completes each statement based on the information presented in the graphics. Answer: QUESTION 76Hotspot QuestionYou have an Active Directory domain named Contoso.com. The domain contains Hyper-V hosts named Server1 and Server2 that run Windows Server 2016. The Hyper-V hosts are configured to use NVGRE for network virtualization. You have four virtual machines that are connected to an external switch. The virtual machines are configured as shown. To which virtual machine or virtual machines can VM1 and VM3 connect? To answer, select the appropriate options in the answer area. Answer: QUESTION 77Hotspot QuestionYou have a server named Server1 that runs Windows Server 2016. Server1 has the Web Application Proxy role service installed. You publish an application named App1 by using the Web Application Proxy. You need to change the URL that users use to connect to App1 when they work remotely. Which command should you run? To answer, select the appropriate options in the answer area. Answer: QUESTION 78Hotspot QuestionYour network contains an Active Directory domain named contoso.com. The domain contains a member server named Server1 that runs Windows Server 2016. You install IP Address Management (IPAM) on Server1. You select the automatic provisioning method, and then you specify a prefix of IPAM! You need to configure the environment for automatic IPAM provisioning. Which cmdlet should you run? To answer, select the appropriate options in the answer area. Answer: QUESTION 79Hotspot QuestionYour network contains an Active Directory domain named contoso.com. The domain contains four servers named Server1, Server2, Server3, and Server4 that run Windows Server 2016. Server1 has IP Address Management (IPAM) installed Server2, Server3, and Server4 have the DHCP Server role installed IPAM manages Server2, Server3, and Server4. A domain user named User1 is a member of the groups shown in the following table. Answer: QUESTION 80Drag and Drop QuestionYou have a server named Server1 that runs Windows Server 2016. You plan to deploy Internet Information Services (IIS) in a Windows container. You need to prepare Server1 for the planned deployment. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. Answer: If you use Lead2pass braindump as your 70-740 exam prepare material, we guarantee your success in the first attempt. Lead2pass 70-740 dump provides you everything you will need to take your 70-740 Exam. 70-740 new questions on Google Drive: <https://drive.google.com/open?id=0B3Svlg5i8gpDTzFiNkZZMGowWWs> 2017 Microsoft 70-740 exam dumps (All 113 Q&As) from Lead2pass: <http://www.lead2pass.com/70-740.html> [100% Exam Pass Guaranteed!!!]